Amendments to the Claims:

Listing of Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A travel information distribution system <u>method</u> comprising:

a schedule table preparing unit for preparing a schedule table containing reference places for obtaining travel information, arrival dates and times of the reference places and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel; and

a data distributor for searching, by a data distributor, the arrival dates and times in sequential order from the schedule table prepared by the schedule table preparing unit in the preparing step to distribute distribution data to the wireless terminal of the user at respective arrival dates and times via a network,

wherein the wireless terminal includes:

a distribution data identifying information storage for storing, by the wireless terminal, identifying information for identifying the distribution data distributed by the data distributor;

a specifier for specifying, by the wireless terminal one of a presence and an absence of use of the distribution data related to the identifying information stored in the distribution data identifying information storage; and

a notifier for notifying, by the wireless terminal, the data distributor of the distribution data specified by the specifier after finishing of the travel,

wherein the specifier specifying step comprises, inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device terminal signifies the presence of use of the distribution data, and non-operation of the input device by the user when the distribution data is provided on the display of the wireless device terminal signifies the absence of use of the distribution data.

2. (Canceled).

3. (Currently Amended) The travel information distribution system method comprising:

a schedule table preparing unit for preparing a schedule table containing reference places for obtaining travel information, arrival dates and times of the reference places and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel; and

a data distributor for searching, by a data distributor, the arrival dates and times in sequential order from the schedule table prepared by the schedule table preparing unit to distribute distribution data to the wireless terminal of the user at respective arrival dates and times via a network [[,]];

wherein the wireless terminal includes:

a place specifier for specifying, by the wireless terminal, the places where the user has used the distribution data distributed by the data distributor;

a place storage for storing, in the wireless teminal, the places specified by the place specifier specifying step; and

a notifier for notifying, by the wireless terminal, the data distributor of the places stored in the place storage storing step after finishing of the travel,

wherein the place specifier specifying step comprises inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device terminal signifies the presence of use of the distribution data, and non-operation of the input device by the user when the distribution data is provided on the display of the wireless device terminal signifies the absence of use of the distribution data.

- 4. (Currently Amended) The travel information distribution system method claimed in claim 1, wherein the wireless terminal includes: further comprising:
- a schedule table receiver for receiving, by the wireless terminal, a schedule table prepared by the schedule table preparing unit scheduling step; and
- a distribution data transmitting requester for requesting, by the wireless terminal, the data distributor to transmit distribution data at a distribution timing of respective distribution data on the basis of the schedule table received by the schedule table receiver in the receiving step.

- 5. (Currently Amended) The travel information distribution system method claimed in claim 1, wherein the distribution data is distributed to the wireless terminal by an e-mail.
- 6. (Currently Amended) The travel information distribution system method claimed in claim 1, wherein the distribution data is distributed to the wireless terminal by a file described by a descriptive language.
- 7. (Currently Amended) The travel information distribution system method claimed in claim 1, wherein the distribution data includes addresses of contents on the network, and the wireless terminal accesses to the addresses to download necessary contents.
- 8. (Currently Amended) A travel information distribution system method comprising:
- a schedule table preparing unit for preparing a schedule table containing reference places for obtaining travel information, arrival dates and times of the reference places and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel;
- a tolerance calculator for calculating time tolerances with respect to the arrival dates and times written in the schedule table prepared by the schedule table preparing unit;
- an arrival date corrector for correcting the arrival dates and times to earliest possible arrival dates and times on the basis of the tolerances calculated by the tolerance calculator in the calculating step; and
- a data distributor for searching, by a data distributor, the arrival dates and times in sequential order from the prepared schedule table to distribute distribution data related to the arrival dates and times corrected by the arrival date corrector to the wireless terminal of the user at respective arrival dates and times via a network;

wherein the wireless terminal includes:

a distribution data identifying, by the wireless terminal, information storage for storing identifying information for identifying the distribution data distributed by the data distributor;

a specifier for specifying, by the wireless terminal, one of a presence and an absence of use of the distribution data related to the <u>stored</u> identifying information stored in the <u>distribution data identifying information storage</u>; and

a notifier for notifying, by the wireless terminal, the data distributor of the distribution data specified by the specifier in the specifying step after finishing of the travel,

wherein the specifier specifying step comprises, inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device terminal signifies the presence of use of the distribution data, and non-operation of the input device by the user when the distribution data is provided on the display of the wireless device terminal signifies the absence of use of the distribution data.

9. (Canceled).

10. (Currently Amended) The travel information distribution system method comprising:

a schedule table preparing unit for preparing a schedule table containing reference places for obtaining travel information, arrival dates and times of the reference places and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel;

a tolerance calculator for calculating time tolerances with respect to the arrival dates and times written in the schedule table prepared by the schedule table preparing unit step;

an arrival date corrector for correcting the arrival dates and times to earliest possible arrival dates and times on the basis of the tolerances calculated by the tolerance ealculator calculating step; and

a data distributor for searching, by a data distributor, the arrival dates and times in sequential order from the prepared schedule table to distribute distribution data related to the arrival dates and times corrected by the arrival date corrector to the wireless terminal of the user at respective arrival dates and times via a network;

wherein the wireless terminal includes:

a place specifier for specifying, by the wireless terminal, the places where the user has used the distribution data distributed by the data distributor;

a place storage for storing, in the wireless terminal, the places specified by the place specifier specifying step; and

a notifier for notifying, by the wireless terminal, the data distributor of the places stored in the place storage storing step after finishing of the travel,

wherein the place specifier specifying step comprises, inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device signifies the presence of use of the distribution data, and non-operation of the input device by the user when the distribution data is provided on the display of the wireless device signifies the absence of use of the distribution data.

11. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the wireless terminal includes: further comprising the steps of:

a schedule table receiver for receiving, by the wireless terminal, a schedule table prepared by the schedule table preparing unit scheduling step; and

a distribution data transmitting requester-for requesting, by the wireless terminal, the data distributor to transmit distribution data at a distribution timing of respective distribution data on the basis of the schedule table received by the schedule table receiver receiving step.

12. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the tolerance calculator calculates calculating step comprises:

calculating the time tolerances by multiplying predetermined tolerances based on kinds of transport means for arriving at respective places by respective factors determined according to dates of moving, and by

obtaining a tolerance value that is subtracted from an arrival time for a particular reference place obtained from the schedule table, and

in order to determine determining an updated arrival time for the particular reference place based on the tolerance value obtained.

13. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the tolerance calculator calculates calculating step comprises calculating the time tolerances by:

multiplying predetermined tolerances based on kinds of transport means for arriving at respective places by respective factors determined according to time bands of moving, and

by subtracting the time tolerances from respective arrival times for particular reference places obtained from the schedule table in order to determine updated arrival times for the particular reference places.

14. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the tolerance calculator calculates calculating step comprises calculating the time tolerances by:

multiplying predetermined tolerances based on kinds of transport means for arriving at respective places by respective factors determined according to dates and time bands of moving, and

by subtracting the time tolerances from respective arrival times for particular reference places obtained from the schedule table in order to determine updated arrival times for the particular reference places.

- 15. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the distribution data is distributed to the wireless terminal by an e-mail.
- 16. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the distribution data is distributed to the wireless terminal by a file described by a descriptive language.
 - 17. (Currently Amended) The travel information distribution system method claimed in claim 8, wherein the distribution data includes addresses of contents on the network, and the wireless terminal accesses to the addresses to download necessary contents.

- 18. (Currently Amended) A travel information distribution system method comprising:
- a schedule table preparing unit for preparing a schedule table containing destinations as reference places for obtaining travel information, position information of the destinations and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel;
- a position information detector for detecting position information as a present place of the wireless terminal carried in the travel;
- a destination position information comparator for comparing the position information detected by the position information detector with position information of destinations shown in the schedule table prepared by the schedule table preparing unit step; and
- a data distributor for distributing, by a data distributor, distribution data related to the coincident destination to a wireless terminal via a network when the position information of any destination included in the prepared schedule table is coincident with the position information detected by the position information detector in the detecting step by the comparison of the destination position information comparator in the comparing step [,];

wherein the wireless terminal includes:

- a distribution data identifying, by the wireless terminal, information storage for storing identifying information for identifying the distribution data distributed by the data distributor;
- a specifier for specifying, by the wireless terminal, one of a presence and an absence of use of the distribution data related to the <u>stored</u> identifying information stored in the <u>distribution data identifying information storage</u>; and
- a notifier for notifying, by the wireless terminal, the data distributor of the distribution data specified by the specifier specifying step after finishing of the travel,

wherein the specifier specifying step comprises inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device terminal signifies the presence of use of the distribution data, and non-operation of the input device by the user

when the distribution data is provided on the display of the wireless device terminal signifies the absence of use of the distribution data.

19. (Canceled).

20. (Currently Amended) The travel information distribution system method comprising:

a schedule table preparing unit for preparing a schedule table containing destinations as reference places for obtaining travel information, position information of the destinations and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel;

a position information detector for detecting position information as a present place of the wireless terminal carried in the travel;

a destination position information comparator for comparing the position information detected by the position information detector with position information of destinations shown in the schedule table prepared by the schedule table preparing unit step; and

a data distributor for distributing, by a data distributor, distribution data related to the coincident destination to a wireless terminal via a network when the position information of any destination included in the prepared schedule table is coincident with the position information detected by the position information detector by the comparison of the destination position information comparator in the comparing step [[,]];

wherein the wireless terminal includes:

a place specifier for specifying, by the wireless terminal, the places where the user has used the distribution data distributed by the data distributor;

a place storage for storing, in the wireless terminal, the places specified by the place specifier specifying step; and

a notifier for notifying, by the wireless terminal, the data distributor of the places stored in the place storage storing step after finishing of the travel,

wherein the place specifier specifying step comprises inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device signifies the

presence of use of the distribution data, and non-operation of the input device by the user when the distribution data is provided on the display of the wireless device signifies the absence of use of the distribution data.

21. (Currently Amended) The travel information distribution system method claimed in claim 18, wherein the wireless terminal includes a position information transmitter for further comprising:

transmitting, by a position information transmitter provided in the wireless terminal, the position information to the <u>a</u> data distributor at a certain time interval, and

wherein the data distributor includes [[:]] a personal schedule table containing times and places of the wireless terminal according to the travel schedule;

a tolerance calculator for calculating, by the data distributor, tolerances between the position information transmitted from the position information transmitter and the schedule written in the personal schedule table on the basis of the time when the position information transmitter transmits the position information, the tolerances being based in part on a particular mode of travel being used by the user; and

a schedule table renewer for renewing, by the data distributor, the schedule table for the distribution of the distribution data by utilizing the calculation result of the tolerance ealculator calculating step.

- 22. (Currently Amended) The travel information distribution system method claimed in claim 18, wherein the wireless terminal includes: further comprising:
- a schedule table receiver for receiving, by the wireless terminal, a schedule table prepared by the schedule table preparing unit scheduling step; and
- a distribution data transmitting requester for requesting, by the wireless terminal, the data distributor to transmit distribution data at a distribution timing of respective distribution data on the basis of the schedule table received by the schedule table receiver receiving step.
- 23. (Currently Amended) The travel information distribution system method claimed in claim 18, wherein the wireless terminal includes: further comprising:

a schedule table receiver for receiving, by the wireless terminal, a schedule table containing a schedule for [[a]] distribution of distribution data;

a schedule table storage for storing, by the wireless terminal, the schedule table received by the schedule table receiver receiving step;

a comparator for comparing distribution data, a distribution time and a distribution place when the distribution data is distributed with a distribution data, a distribution time and a distribution place written in the schedule table stored in the schedule table storage storing step; and

a tolerance data transmitter for transmitting tolerances of the distribution time and place of the schedule table as the comparison result of the comparator comparing step as tolerance data, and

the data distributor includes a schedule table renewer for renewing, by the data distributor, the contents of the schedule table by utilizing the tolerance data transmitted from the tolerance data transmitter in the transmitting step.

- 24. (Currently Amended) The travel information distribution system method claimed in claim 18, wherein the distribution data is distributed to the wireless terminal by an e-mail.
- 25. (Currently Amended) The travel information distribution system method claimed in claim 18, wherein the distribution data is distributed to the wireless terminal by a file described by a descriptive language.
- 26. (Currently Amended) The travel information distribution system method claimed in claim 18, wherein the distribution data includes addresses of contents on the network, and the wireless terminal accesses to the addresses to download necessary contents.
- 27. (Currently Amended) A travel information distribution system method comprising:
- a schedule table preparing unit for preparing a schedule table containing destinations as reference places for obtaining travel information, position information of the destinations

and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel;

a position information detector for detecting position information as a present place of the wireless terminal carried in the travel;

a tolerance table containing storing, in a tolerance table, tolerances between position information of reference positions of respective destinations and position information of border positions of respective destinations included in the schedule table prepared by the schedule table preparing unit step;

an area calculator for calculating areas of respective destinations from the position information of the reference positions of respective destinations and the tolerances included in the tolerance table;

a destination position information comparator for comparing the areas calculated by the area calculator with the position information of the wireless terminal, detected by the position information detector detecting step; and

a data distributor for distributing, by a data distributor, distribution data related to the destination area including the position information of the wireless terminal to a wireless terminal via a network when the position information of the wireless terminal is included in any destination area by the comparison of the destination position information comparator [[,]];

wherein the wireless terminal includes:

a distribution data identifying, by the wireless terminal, information storage for storing identifying information in a storage for identifying the distribution data distributed by the data distributor;

a specifier for specifying, by the wireless terminal, one of a presence and an absence of use of the distribution data related to the identifying information stored in the distribution data identifying information storage; and

a notifier for notifying, by the wireless terminal, the data distributor of the distribution data specified by the specifier specifying step after finishing of the travel,

wherein the specifier specifying step comprises inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device signifies the presence of use of the distribution data, and non-operation of the input device by the user when the

distribution data is provided on the display of the wireless device signifies the absence of use of the distribution data.

28. (Canceled).

29. (Currently Amended) The travel information distribution system method comprising:

a schedule table preparing unit for preparing a schedule table containing destinations as reference places for obtaining travel information, position information of the destinations and distribution data to be distributed to a wireless terminal of a user in the reference places from an itinerary table of a travel;

a position information detector for detecting position information as a present place of the wireless terminal carried in the travel;

storing, in a tolerance table, containing tolerances between position information of reference positions of respective destinations and position information of border positions of respective destinations included in the schedule table prepared by the schedule table preparing unit preparing step;

an area calculator for calculating areas of respective destinations from the position information of the reference positions of respective destinations and the tolerances included in the tolerance table;

a destination position information comparator for comparing the areas calculated by the area calculator with the position information of the wireless terminal, detected by the position information detector detecting step; and

a data distributor for distributing, by a data distributor, distribution data related to the destination area including the position information of the wireless terminal to a wireless terminal via a network when the position information of the wireless terminal is included in any destination area by the comparison of the destination position information comparator [[,]];

wherein the wireless terminal includes:

a place specifier for specifying, by the wireless terminal, the places where the user has used the distribution data distributed by the data distributor;

a place storage for storing, in the wireless terminal, the places specified by the place specifier specifying step; and

a notifier for notifying, by the wireless terminal, the data distributor of the places stored in the place storage storing step after finishing of the travel,

wherein the place specifier specifying step comprises inputting, by way of an input device provided on the wireless terminal, in which operation of the input device by the user when the distribution data is provided on a display of the wireless device signifies the presence of use of the distribution data, and non-operation of the input device by the user when the distribution data is provided on the display of the wireless device signifies the absence of use of the distribution data.

30. (Currently Amended) The travel information distribution system method claimed in claim 27, further comprising:

wherein the wireless terminal includes a position information transmitter for transmitting, by the wireless terminal, the position information to the data distributor at a certain time interval, and

storing, in the data distributor, includes: a personal schedule table containing times and places of the wireless terminal according to the travel schedule;

a tolerance calculator for calculating, by the data distributor, tolerances between the position information transmitted from the position information transmitter and the schedule written in the personal schedule table on the basis of the time when the position information transmitter transmits the position information, the tolerances being based in part on a particular mode of travel being used by the user; and

a schedule table renewer for renewing, by the data distributor, the schedule table for the distribution of the distribution data by including the calculation result of the tolerance ealculator calculating step.

- 31. (Currently Amended) The travel information distribution system method claimed in claim 27, wherein the wireless terminal includes: further comprising:
- a schedule table receiver for receiving, by the wireless terminal, a schedule table prepared by the schedule table preparing unit scheduling step; and
- a distribution data transmitting requester for requesting, by the wireless terminal, the data distributor to transmit distribution data at a distribution timing of respective

distribution data on the basis of the schedule table received by the schedule table receiver receiving step.

- 32. (Currently Amended) The travel information distribution system method claimed in claim 27, wherein the distribution data is distributed to the wireless terminal by an e-mail.
- 33. (Currently Amended) The travel information distribution system method claimed in claim 27, wherein the distribution data is distributed to the wireless terminal by a file described by a descriptive language.
- 34. (Currently Amended) The travel information distribution system method claimed in claim 27, wherein the distribution data includes addresses of contents on the network, and the wireless terminal accesses to the addresses to download necessary contents.
- 35. (Previously Presented) The travel information distribution system method claimed in claim 7, wherein the distribution data includes information obtained by the data distributor from the Internet by accessing addresses of contents on the Internet, and by obtaining most recent information to be provided to the wireless terminal with respect to the reference place that the user is currently supposed to be located.
- 36. (Previously Presented) The travel information distribution system method claimed in claim 17, wherein the distribution data includes information obtained by the data distributor from the Internet by accessing addresses of contents on the Internet, and by obtaining most recent information to be provided to the wireless terminal with respect to the reference place that the user is currently supposed to be located.
- 37. (Previously Presented) The travel information distribution system method claimed in claim 25, wherein the distribution data includes information obtained by the data distributor from the Internet by accessing addresses of contents on the Internet, and by obtaining most recent information to be provided to the wireless terminal with respect to the reference place that the user is currently supposed to be located.

- 38. (Previously Presented) The travel information distribution system method claimed in claim 32, wherein the distribution data provided to the wireless terminal by the e-mail includes information obtained by the data distributor from the Internet by accessing addresses of contents on the Internet, and by obtaining most recent information to be provided to the wireless terminal with respect to the reference place that the user is currently supposed to be located.
- 39. (New) The travel information distribution method claimed in claim 12, further comprising:

storing, in a factor table, the respective factors in accordance with dates of moving, wherein the calculating step comprises:

multiplying a factor obtained from the factor table for a particular date, by one of the predetermined time tolerances corresponding to a particular kind of transport means to be utilized on the particular date, in order to obtain the tolerance value; and

subtracting the tolerance value from the arrival time to thereby determine the updated arrival time.

40. (New) The travel information distribution method claimed in claim 13, further comprising:

storing, in a factor table, the respective factors in accordance with dates of moving, wherein the calculating step comprises:

multiplying a factor obtained from the factor table for a particular date, by one of the predetermined time tolerances corresponding to a particular kind of transport means to be utilized on the particular date, in order to obtain the tolerance value; and

subtracting the tolerance value from the arrival time to thereby determine the updated arrival time.

41. (New) The travel information distribution system claimed in claim 14, further comprising:

storing, in a factor table, the respective factors in accordance with dates of moving, wherein the calculating step comprises:

multiplying a factor obtained from the factor table for a particular date, by one of the predetermined time tolerances corresponding to a particular kind of transport means to be utilized on the particular date, in order to obtain the tolerance value; and

subtracting the tolerance value from the arrival time to thereby determine the updated arrival time.